Author index

AAKESON, I. (*see* CHRISTIANSEN, G.)

AARS, H., BRODIN, P. & BJØRNLAND, T. Sympathetic modulation of the jaw-opening reflex in anaesthetized rabbits, 319

AGNATI, L. F., FUXE, K., HARFSTRAND, A., LANG, R. E., UNGER, T. & GANTEN, D. Receptor autoradiographical evidence of a preferential reduction of binding sites for atrial natriuretic factor in renal papilla of the spontaneously hypertensive rats, 61

AGNATI, L. F. (*see* FUXE, K.)

AGREN, P. L., SELSTAM, G., NORJAVAARA, E., KINNANDER, G. & KNUTSSON, A. Studies of the luteinization process in the rat: development of catecholamine response on progesterone production during the peri-ovulatory period, 143

AHLBORG, G. (*see* HELLSTEN, Y.)

ALVESTRAND, A. (*see* ZIMMERMAN, L.)

ALVING, K., MATRAN, R., LACROIX, J. S. & LUNDBERG, J. M. Allergen challenge induces vasodilatation in pig bronchial circulation via a capsaicin-sensitive mechanism, 571

ANDÉN, N.-E. & GRABOWSKA-ANDÉN, M. Stimulation of D_1 dopamine receptors reveals direct effects of the preferential dopamine autoreceptor agonist B-HT 920 on postsynaptic dopamine receptors, 285

ANDÉN, N.-E. (*see* HANSELL, P.), 421

ANDERSON, K.-E. (*see* LINDBERG, F.)

ANDERSSON, S., KRONSTRÖM, A. & HENTSCHEL, J. Wall mechanics of the rat bladder. II. Hydrodynamic studies in the frequency domain, 463

ANDERSSON, S., KRONSTRÖM, A. & TEIEN, D. Wall mechanics of the rat bladder. I. Hydronamic studies in the time domain, 457

ANSVED, T. (*see* LARSSON, L.)

ARFORS, K.-E. (*see* LINDBOM, L.)

ASK, J. A. & TYSSEBOTN, I. Positive inotropic effect on the rat atrial myocardium compressed to 5, 10 and 30 bar, 277

AUSONI, S. (*see* SCHIAFFINO, S.)

BAYATI, A., KALLSKOG, O., ODLIND, B. & WOLGAST, M. Plasma elimination kinetics and renal handling of copper/zinc superoxide dismutase in the rat, 65

BERGESTRÖM, J. (*see* ZIMMERMAN, L.)

BJERREGAARD, H. F. & NEILSEN, R. Trifluoperazine stimulated sodium transport through the apical surface of isolated frog skin, 43

BJØRNLAND, T. (*see* AARS, H.)

BOHMAN, S.-O. (*see* STENBERG, A.)

BOUTIER, J.-F. (*see* PERNOW, J.), 573

BRATEL, S., FOLMERZ, P., HANSSON, R., JONSSON, O., LUNDSTAM, S., PETTERSSON, S., RIPPE, B. & SCHERSTEN, T. Effects of oxygen free radical scavengers, xanthine oxidase inhibition and calcium entry-blockers on leakage of albumin after ischaemia. An experimental study in rabbit kidneys, 35

BRODIN, P. (*see* AARS, H.)

BROMBERG, S. (*see* SAHLIN, K.)

BUGGE, J. F., STOKKE, E. S. & KIIL, F. Haemodynamic regulation of renal prostaglandin and renin release, 235

BÜLOW, J. B. (*see* HØJGAARD, L.)

CABERO, J. L. (*see* VEGA, F. V.)

CARLSON, S. (*see* HUOPANIEMI, T.)

CEDERQVIST, B. (*see* WIKLUND, N. P.)

CHEN, Z., HEDNER, T. & HEDNER, J. Hypoventilation and apnoea induced by the substance P antagonist [D-Pro^2, D-$Trp^{7,9}$]-SP in the ventrolateral rat medulla, 153

CHRISTENSEN, N. J. (*see* HØJGAARD, L.)

CHRISTIANSEN, G., ILEBEKK, A., AAKESON, I. & KIIL, F. The release mechanism for atrial natriuretic factor during blood volume expansion and tachycardia in dogs, 263

CLAUSEN, T. (*see* EVERTS, M. E.)

CUELLO, A. C. (*see* LINDH, B.)

CUYLER, C. (*see* WATTS, P.)

DAGERLIND, Å. & SCHALLING, M. Localization of dopamine β-hydroxylase (DBH) and neuropeptide tyrosine (NPY) mRNA in the grey monkey locus coeruleus and adrenal medulla, 563

DALSGAARD, C.-J. (*see* KJARTANSSON, J.), 89

DALSGAARD, C.-J. (*see* KJARTANSSON, J.), 95

DELBRO, D. (*see* NIKLASSON, L.-G.)

DELLE, M., RICKSTEN, S.-E. & THORÉN, P. Renal sympathetic nerve activity during morphine abstinence in sino-aortic baroceptor-denervated rats, 479

DELLE, M., THORÉN, P. & RICKSTEN, S.-E. Central haemodynamics during morphine abstinence in anaesthetized rats, 493

DONNER, K., HEMILÄ, S. & KOSKELAINEN, A. Temperature-dependence of rod photoresponses from the aspartate-treated retina of the frog (*Rana temporaria*), 535

DUNER-ENGSTROM, M. & FREDHOLM, B. B. Evidence that prejunctional adenosine receptors regulating acetylcholine release from rat hippocampal slices are linked to an N-ethylmaleimide-sensitive G-

protein, but not to adenylate cyclase or dihydropyridine-sensitive Ca^{2+}-channels, 119

EDSTRÖM, A., KANJE, M. & RUSOVAN, A. Orthograde and retrograde axonal transport in the regenerating frog sciatic nerve show different sensitivities to vanadate, 437
EDSTRÖM, L. (*see* LARSSON, L.)
EDVINSSON, L. (*see* SJÖGREN, A.)
EHMKE, H. (*see* PERSSON, P.)
EIDE, P. K. & HOLE, K. Increased behavioural response to intrathecal serotonin after lesion of serotonergic pathways with 5,7-dihydroxytryptamine seems not to be due to depletion of serotonin, 291
ELERS, J. (*see* SECHER, N. H.)
ELLINGSEN, I., SYNDES, G., HAUGE, A. & NICOLAYSEN, G. Effects of exercise and CO_2 inhalation on the breathing pattern in man, 161
ENGSTRÖM, A. M. C. (*see* HANSSON, H.-A.), 199
ERICSSON, A. (*see* PERSSON, H.)
EVERTS, M. E., RETTERSTØL, K. & CLAUSEN, T. Effects of adrenaline on excitation-induced stimulation of the sodium–potassium pump in rat skeletal muscle, 189

FAHRENKRUG, J. (*see* LINDH, B.)
FASTH, S. (*see* NIKLASSON, L.-G.)
FLADBY, T. & JANSEN, J. K. S. Selective innervation of neonatal fast and slow muscle fibres before net loss of synaptic terminals in the mouse soleus muscle, 561
FOLMERZ, P. (*see* BRATELL, S.)
FORSSELL, H., LIND, T. & OLBE, L. Comparative potency of carbachol, sham feeding, fundic distension and 16,16-dimethyl prostaglandin E_2 as stimulants of human gastric bicarbonate secretion 75
FRANCO-CERECEDA, A. (*see* PERNOW, J.), 573
FREDHOLM, B. B. (*see* DUNER-ENGSTROM, M.)
FUXE, K., VON EULER, G. & AGNATI, L. F. Angiotensin II reduces the affinity of H para-aminoclonidine binding sites in membrane preparations from the rat dorsomedial medulla oblongata, 317
FUXE, K. (*see* AGNATI, L. F.)

GABRIELSEN, G. W. (*see* STEEN, J. B.)
GERDLE, B., WRETLING, M.-L. & HENRIKSSON-LARSÉN, K. Do the fibre-type proportion and the angular velocity influence the mean power frequency of the electromyogram?, 341
GORZA, L. (*see* SCHIAFFINO, S.)
GRABOWSKA-ANDÉN, M. (*see* ANDÉN, N.-E.)
GRABOWSKA-ANDÉN, M. (*see* HANSELL, P.), 421
GRAFFI, J. (*see* LINDH, B)
GRENHOFF, J., UGEDO, L. & SVENSSON, T. H. Firing patterns of midbrain dopamine neurons: differences between A9 and A10 cells, 127
GRENHOFF, J., TUNG, C.-S. & SVENSSON, T. H. The excitatory amino acid antagonist kynurenate induces pacemaker-like firing of dopamine neurons in rat ventral tegmental area *in vivo*, 567
GUILLEMIN, R. (*see* LEPPÄLUOTO, J.)
GUNDERSEN, K. (*see* SCHIAFFINO, S.)
GUSTAFSSON, B. I. (*see* NIKLASSON, L.-G.)

HAEGERSTRAND, A. (*see* LINDH, B.)
HÖKFELT, T. (*see* LINDH, B.)
HÄGG, A., LÖRELIUS, L.-E., MÖRLIN, C. & WIDE, L. Serial measurements of plasma renin activity, aldosterone and cortisol during percutaneous transluminal angioplasty of the renal artery in man, 473
HANSELL, P., ANDÉN, N.-E., GRABOWSKA-ANDÉN, M. & ULFENDAHL, H. R. Atrial natriuretic factor, urinary catechol compounds and electrolyte excretion in rats during normal hydration and isotonic volume expansion. Influence of dopamine receptor blockade, 421
HANSELL, P., SJOQUIST, M. & ULFENDAHL, H. R. The calcium entry blocker verapamil increases red cell flux in the vasa recta of the exposed renal papilla, 9
HANSSON, H.-A., ENGSTRÖM, A. M. C., HOLM, S. & ROSENQVIST, A.-L. Somatomedin C immunoreactivity in the Achilles tendon varies in a dynamic manner with the mechanical load, 199
HANSSON, H.-A. & TUNHALL, S. Epidermal growth factor and insulin-like growth factor are localized in different compartments of salivary gland duct cells. Immunohistochemical evidence, 383
HANSSON, R. (*see* BRATELL, S.)
HARDING, H. (*see* SKARPEDINSSON, J. O.)
HARFSTRAND, A. (*see* AGNATI, L. F.)
HAUGE, A. (*see* ELLINGSEN, I.)
HEDEN, P. (*see* KJARTANSSON, J.), 89
HEDNER, J. (*see* CHEN, Z.)
HEDNER, J. (*see* PETTERSSON, A.)
HEDNER, T. (*see* CHEN, Z.)
HEDNER, T. (*see* PETTERSSON, A.)
HEDQVIST, P. (*see* ÖHLÉN, A.)
HELLBERG, P. O. A., KÄLLSKOG, Ö., WOLGAST, M. & ÖJTEG, G. Effects of neutrophil granulocytes on the inulin barrier of renal tubular epithelium after ischaemic damage, 313
HELLSTEN, Y., AHLBORG, G., JENSEN-URSTAD, M. & SJODIN, B. Indication of *in vivo* xanthine oxidase activity in human skeletal muscle during exercise, 159
HEMILÄ, S. (*see* DONNER, K.)
HEMLIN, M., JODAL, M., LUNDGREN, O., SJOVALL, H. & STAGE, L. The importance of the subepithelial resistance for the electrical properties of the rat jejunum *in vitro*, 79
HENRIKSEN, O. (*see* JENSEN, K. E.)
HENRIKSSON, J. (*see* ZETAN, N.)

HENRIKSSON-LARSEN, K. (*see* GERDLE, B.)
HENTSCHEL, J. (*see* ANDERSSON, S.), 463
HJEMDAHL, P. (*see* TIDGREN, B.)
HØJGAARD, L., BÜLOW, J. B., MADSEN, J. & CHRISTENSEN, N. J. Gastric mucosal electrical potential difference and blood flow during high FFA/albumin ratios in anaesthetized Gottingen minipigs, 305
HÖKFELT, T. (*see* ÖHLÉN, A.)
HÖKFELT, T. (*see* PERSSON, H.)
HOLE, K. (*see* EIDE, P. K.)
HOLM, S. (*see* HANSSON, H.-A.), 199
HOLST, J. J. (*see* SANDVIK, J. J.)
HULTBORN, H., KATZ, R. & MACKEL, R. Distribution of recurrent inhibition within a motor nucleus. II. Amount of recurrent inhibition in motoneurones to fast and slow units, 363
HULTBORN, H., LIPSKI, J., MACKEL, R. & WIGSTRÖM, H. Distribution of recurrent inhibition within a motor nucleus. I. Contribution from slow and fast motor units to the excitation of Renshaw cells, 347
HULTÉN L. (*see* NIKLASSON, L.-G.)
HUOPANIEMI, T., PERTOVAARA, A., JYVÄSJÄRVI, E. & CARLSON, S. Effect of naloxone on tooth pulp-evoked jaw-opening reflex in the barbiturate-anaesthetized cat, 327

ILEBEKK, A. (*see* CHRISTIANSEN, G.)
INTAGLIETTA, M. (*see* LINDBOM, L.)

JANSEN, J. K. S. (*see* FLADBY, T.)
JENSEN, K. E., THOMPSEN, C. & HENRIKSEN, O. *In vivo* measurement of intracellular pH in human brain during different tensions of carbon dioxide in arterial blood. A ^{31}P-NMR study, 295
JENSEN-URSTAD, M. (*see* HELLSTEN, Y.)
JODAL, M. (*see* HEMLIN, M.)
JÓNASSON, H. (*see* JUNKERGÅRD, J.)
JONSSON, O. (*see* BRATELL, S.)
JUEL, C. The effect of β_2-adrenoceptor activation on ion-shifts and fatigue in mouse soleus muscles stimulated *in vitro*, 209
JUNKERGÅRD, J. & JÓNASSON, H. Intracerebroventricular and systemic saralasin used to investigate angiotensin-elicited activation of the pituitary–adrenocortical axis in the goat, 271
JYVÄSJÄRVI, E. (*see* HUOPANIEMI, T.)

KALLSKOG, O. (*see* BAYATI, A.)
KÄLLSKOG, Ö (*see* HELLBERG, P. O. A.)
KANJE, M. (*see* EDSTRÖM, A.)
KANWISHER, J. W. (*see* STEEN, J. B.)
KARLEN, J. Renal response to parathyroid hormone in the weanling rat, 17
KATZ, R. (*see* HULTBORN, H.), 363
KILL, F. (*see* BUGGE)
KILL, F. (*see* CHRISTIANSEN, G.)
KINNANDER, G. (*see* AGREN, P. L.)
KIRCHHEIM, H. (*see* PERSSON, P.)
KJARTANSSON, J., LUNDBERG, T., SAMUELSON, U. E. & DALSGAARD, C.-J. Transcutaneous electrical nerve stimulation (TENS) increases survival of ischaemic musculocutaneous flaps, 95
KJARTANSSON, J., LUNDBERG, T., SAMUELSON, U. E., DALSGAARD, C.-J. & HEDEN, P. Calcitonin gene-related peptide (CGRP) and transcutaneous electrical nerve stimulation (TENS) increase cutaneous blood flow in a musculocutaneous flap in the rat, 89
KOFSTAD, J. (*see* SANDVIK, A. K.)
KOSKELAINEN, A. (*see* DONNER, K.)
KRONSTRÖM, A. (*see* ANDERSSON, S.), 463
KRONSTRÖM, A. (*see* ANDERSSON, S.), 457

LACROIX, J. S. (*see* ALVING, K.)
LACROIX, J. S. (*see* PERNOW, J.), 573
LAGERCRANTZ, H. (*see* YAMAMOTO, Y.)
LANG, R. E. (*see* AGNATI, L. F.)
LARSSON, L., ÖRLANDER, J., ANSVED, T. & EDSTRÖM, L. Effects of chronic nicotine exposure on contractile enzyme–histochemical and biochemical properties of fast- and slow-twitch skeletal muscles in the rat, 519
LAURENT, T. C. (*see* REED, R. K.), 405
LEPPÄLUOTO, J., ZEYTIN, F., UENO, N., YING, S.-Y., LING, N. & GUILLEMIN, R. Myelin basic protein present in the acid extracts of rat hypothalami releases insulin and glucagon from isolated rat pancreatic islets, 253
LILJA, K. (*see* REED, R. K.), 405
LIND, T. (*see* FORSSELL, H.)
LINDBERG, F. & ANDERSSON, K.-E. Vasodilator responses to alpha-human-atrial natriuretic peptide in isolated omental and pulmonary arteries from rabbit and man, 391
LINDBOM, L., MIRHASHEMI, S., INTAGLIETTA, M. & ARFORS, K.-E. Increase in capillary blood flow and relative haematocrit in rabbit skeletal muscle following acute normovolaemic anaemia, 503
LINDH, B., HAEGERSTRAND, A., LUNDBERG, J. M., HÖKFELT, T., FAHRENKRUG, J., CUELLO, A. C., GRAFFI, J. & MASSOULIÉ, J. Substance P-, VIP- and CGRP-like immunoreactivities in a population of cholinergic postganglionic sympathetic nerves innervating sweat glands in the cat, 569
LING, N. (*see* LEPPÄLUOTO, J.)
LIPSKI, J. (*see* HULTBORN, H.), 347
LØMO, T. (*see* SCHIAFFINO, S.)
LÖRELIUS, L.-E. (*see* HÄGG, A.)
LUNDBERG, J. M. (*see* ALVING, K.)
LUNDBERG, J. M. (*see* LINDH, B.)
LUNDBERG, J. M. (*see* PERNOW, J.), 53, 157, 573
LUNDBERG, J. M. (*see* STJÄRNE, L.)
LUNDBERG, T. (*see* KJARTANSSON, J.), 89
LUNDBERG, T. (*see* KJARTANSSON, J.), 95

LUNDGREN, O. (*see* HEMLIN, M.)
LUNDSTAM, S. (*see* BRATELL, S.)

MACKEL, R. (*see* HULTBORN, H.), 347
MACKEL, R. (*see* HULTBORN, H.), 363
MADSEN, J. (*see* HØJGAARD, L.)
MÅRDH, S. (*see* VEGA, F. V.)
MASSOULIÉ, J. (*see* LINDH, B.)
MATRAN, R. (*see* ALVING, K.)
MATRAN, R. (*see* PERNOW, J.), 513
MILLBERG, B.-I. (*see* PERNOW, J.), 53
MIRHASHEMI, S. (*see* LINDBOM, L.)
MÖRLIN, C. (*see* HÄGG, A.)
MORSING, P. (*see* STENBERG, A.)
MSHGINA, M. (*see* STJÄRNE, L.)
MÜLLERSUUR, C. (*see* STENBERG, A.)

NICOLAYSEN, G. (*see* ELLINGSEN, I.)
NIELSEN, H. V., STABERG, B., NIELSEN, K. & SEJRSEN, P. Effects of dynamic leg exercise on subcutaneous blood flow rate in the lower limb of man, 513
NIELSEN, K. (*see* NIELSEN, H. V.)
NIELSEN, R. (*see* BJERREGAARD, H. F.)
NIKLASSON, L.-G., GUSTAFSSON, B. I., NORDGREN, S., FASTH, S., HULTÉN, L. & DELBRO, D. Motor responses elicited by local electrical stimulation of the distal colon in the anaesthetized rat, 549
NORDGREN, S. (*see* NIKLASSON, L.-G.)
NORJAVAARA, E. (*see* AGREN, P. L.)

ODDSSON, L. Co-ordination of a simple voluntary multi-joint movement with postural demands: Trunk extensions in standing man, 109
ODLIND, B. (*see* BAYATI, A.)
ÖJTEG, G. (*see* HELLBERG, P. O. A.)
ÖHLÉN, A., THURESON-KLEIN, A., RAUD, J., HÖKFELT, T. & HEDQVIST, P. Calcitonin gene-related peptide in neves of the hamster cheek pouch, 579
ÖHLÉN, A. (*see* WIKLUND, N. P.)
OLBE, L. (*see* FORSSELL, H.)
OLSEN, L. (*see* STENBERG, A.)
ÖRLANDER, J. (*see* LARSSON, L.)

PANTALEO, T. (*see* YAMAMOTO, Y.)
PERNOW, J., BOUTIER, J.-F., FRANCO-CERECEDA, A., LACROIX, J. S., MATRAN, R. & LUNDBERG, J. M. Potent selective vasoconstrictor effects of endothelin in the pig kidney *in vivo*, 573
PERNOW, J. & LUNDBERG, J. M. Neuropeptide Y induces potent contraction of arterial vascular smooth muscle via an endothelium independent mechanism, 157
PERNOW, J. THORÉN, P., MILLBERG, B.-I. & LUNDBERG, J. M. Renal sympathetic nerve activation in relation to reserpine-induced depletion of neuropeptide Y in the kidney of the rat, 53
PERSSON, H., ERICSSON, A., SCHALLING, M., REHFELD, J. F. & HÖKFELT, T. Detection of cholecystokinin in spermatogenic cells, 565
PERSSON, P., EHMHE, H. & KIRCHHEIM, H. Influence of the renin–angiotensin system on the autoregulation of renal blood flow and glomerular filtration rate in conscious dogs, 1
PERTOVAARA, A. (*see* HUOPANIEMI, T.)
PETTERSSON, A., RICKSTEN, S.-E., HEDNER, J. & HEDNER, T. Differential haemodynamic effects of atrial natriuretic peptide (ANP) in normotensive and spontaneously hypertensive rats, 247
PETTERSSON, S. (*see* BRATELL, S.)
PRABHAKAR, N. (*see* YAMAMOTO, Y.)
PRESSON, A. E. G. (*see* STENBERG, A.)

RAUD, J. (*see* ÖHLÉN, A.)
REED, R. K. Transcapillary albumin extravasation in rat skin and skeletal muscle: effect of increased venous pressure, 375
REED, R. K., LILJA, K. & LAURENT, T. C. Hyaluronan in the rat with special reference to the skin, 405
REHFELD, J. K. (*see* PERSSON, H.)
REN, J. M. (*see* SAHLIN, K.)
RETTERSTØL, K. (*see* EVERTS, M. E.)
RICKSTEN, S.-E. (*see* DELLE, M.), 479
RICKSTEN, S.-E. (*see* DELLE, M.), 493
RICKSTEN, S.-E. (*see* PETTERSSON, A.)
RICKSTEN, S.-E. (*see* SELLDDEN, H.)
RIPPE, B. (*see* BRATELL, S.)
RØED, A. Fatigue during continuous 20 Hz stimulation of the rat phrenic nerve diaphragm preparation, 217
ROSENQVIST, A.-L. (*see* HANSSON, H.-A.), 199
RUBE, N. (*see* SECHER, N. H.)
RUNOLD, M. (*see* YAMAMOTO, Y.)
RUSOVAN, A. (*see* EDSTRÖM, A.)

SAGGIN, L. (*see* SCHIAFFINO, S.)
SAHLIN, K., REN, J. M. & BROMBERG, S. Oxygen deficit at the onset of submaximal exercise is not due to a delayed oxygen transport, 175
SAMUELSON, U. E. (*see* KJARTANSSON, J.), 89
SAMUELSON, U. E. (*see* KJARTANSSON, J.), 95
SANDSTRÖM, P.-E. & SEHLIN, J. Evidence that an L-fucose-containing component in the β-cell plasma membrane is involved in the regulation of glucose-induced insulin release, 557
SANDVIK, A. K., KOFSTAD, J., HOLST, J. J. & WALDUM, H. L. Ionized calcium influences gastrin stimulated histamine release and acid secretion, but not histamine stimulated acid output in the totally isolated vascularly perfused rat stomach, 443
SCHALLING, M. (*see* DAGERLIND, Å.)
SCHALLING, M. (*see* PERSSON, H.)
SCHERSTEN, T. (*see* BRATELL, S.)
SCHIAFFINO, S., AUSONI, S., GORZA, L., SAGGIN, L., GUNDERSEN, K. & LØMO, T. Myosin heavy chain isoforms and velocity of shortening of type 2 skeletal muscle fibres, 575
SECHER, N. H., RUBE, N. & ELERS, J. Strength of two- and one-leg extension in man, 333

SEHLIN, J. (*see* SANDSTROM, P.-E.)
SEJRSEN, P. (*see* NIELSEN, H. V.)
SELLDDEN, H. & RICKSTEN, S.-E. Effects of hypovolaemia or isoprenaline infusion on the sympathetic reflex response to PEEP ventilation in rats, 101
SELSTAM, G. (*see* AGREN, P. L.)
SJODIN, B. (*see* HELLSTEN, Y.)
SJØGAARD, G. Muscle energy metabolism and electrolyte shifts during low-level prolonged static contraction in man, 181
SJÖGREN, A. & EDVINSSON, L. Vasomotor changes in isolated coronary arteries from diabetic rats, 429
SJOQUIST, M. (*see* HANSELL, P.), 9
SJOVALL, H. (*see* HEMLIN, M.)
SKARPEDINSSON, J. O., HARDING, H. & THOREN, P. Repeated measurements of cerebral blood flow in rats. Comparisons between the hydrogen clearance method and laser Doppler flowmetry, 133
STABERG, B. (*see* NIELSEN, H. V.)
STEEN, J. B., GABRIELSEN, G. W. & KANWISHER, J. W. Physiological aspects of freezing behaviour in willow ptarmigan hens, 299
STENBERG, A., BOHMAN, S.-O., MORSING, P., MÜLLERSUUR, C., OLSEN, L. & PRESSON, A. E. G. Backleak of pelvic urine to the bloodstream, 223
STJÄRNE, E. (*see* STJÄRNE, L.)
STJÄRNE, L., STJÄRNE, E., MSHGINA, M. & LUNDBERG, J. M. Neuropeptide Y may inhibit sympathetic transmitter secretion by an effect 'upstream' of varicosities, 577
STOKKE, E. S. (*see* BUGGE, J. F.)
SVENSSON, T. H. (*see* GRENHOFF, J.), 127, 567
SYNDES, G. (*see* ELLINGSEN, I.)

TEIEN, D. (*see* ANDERSSON, S.), 457
THOMPSEN, C. (*see* JENSEN, K. E.)
THORÉN, P. (*see* DELLE, M.), 479
THORÉN, P. (*see* DELLE, M.), 493
THORÉN, P. (*see* PERNOW, J.), 53
THORÉN, P. (*see* SKARPEDINSSON, J. O.)
THURESON-KLEIN, A. (*see* ÖHLÉN, A.)
TIDGREN, B. & HJEMDAHL, P. Reflex activation of renal nerves in humans: differential effects on noradrenaline, dopamine and renin overflow to renal venous plasma, 23
TJÄLVE, H. & WILANDER, E. Localization of ^{125}I-labelled α-r-atrial natriuretic peptide in rat tissues by whole-body and microautoradiography, 467
TUNG, C.-S. (*see* GRENHOFF, J.), 567
TUNHALL, S. (*see* HANSSON, H.-A.), 383
TYSSEBOTN, I. (*see* ASK, J. A.)

UENO, N. (*see* LEPPÄLUOTO, J.)
UGEDO, L. (*see* GRENHOFF, J.), 127
ULFENDAHL, H. R. (*see* HANSELL, P.), 9
ULFENDAHL, H. R. (*see* HANSELL, P.), 421
UNGER, T. (*see* AGNATI, L. F.)

VEGA, F. V., CABERO, J. L. & MÅRDH, S. Inhibition of H,K-ATPase and Na,K-ATPase by DIDS, a disulphonic stilbene derivative, 543
VON EULER, G. (*see* FUXE, K.)

WALDUM, H. L. (*see* SANDVIK, J. J.)
WALLBERG-HENRIKSSON, H. (*see* ZETAN, N.)
WATTS, P. & CUYLER, C. Metabolism of the black bear under simulated denning conditions, 149
WIDE, L. (*see* HÄGG, A.)
WIGSTRÖM, H. (*see* HULTBORN, H.), 347
WIKLUND, N. P., ÖHLÉN, A. & CEDERQVIST, B. Inhibition of adrenergic neuroeffector transmission by endothelin in the guinea-pig femoral artery, 311
WILANDER, E. (*see* TJÄLVE, H.)
WOLGAST, M. (*see* BAYATI, A)
WOLGAST, M. (*see* HELLBERG, P. O. A.)
WRETLING, M.-L. (*see* GERDLE, B.)

YAMAMOTO, Y., RUNOLD, M., PRABHAKAR, N., PANTALEO, T. & LAGERCRANTZ, H. Somatostatin in the control of respiration, 529
YING, S.-Y. (*see* LEPPÄLUOTO, J.)

ZETAN, N., WALLBERG-HENRIKSSON, H. & HENRIKSSON, J. The rat epitrochlearis muscle: metabolic characteristics, 155
ZEYTIN, F. (*see* LEPPÄLUOTO, J.)
ZIMMERMAN, L., ALVESTRAND, A. & BERGSTRÖM, J. Elevated concentration of 5-hydroxytryptamine in ultrafiltrate of human liver vein plasma after infusion of amino acids, 399

Subject index

A_9, 127
A_{10}, 127
Acetylcholine, 119
Achilles tendon, 199
Acid secretion, 443
ACTH, 271
Activity, 159
Acute renal failure, 313
Adaptation, 535
Adenosine, 119
Adenylate cyclase, 119
Adrenaline, 143, 189
α_2-Adrenergic receptors, 317
Albumin, 305, 375
[^{131}I]albumin, 35
[^{125}I]albumin, 35
Albumin transport, 375
Aldosterone, 271, 473
Alkaline secretion, 75
Allergic reaction, 571
Amiloride, 43
Amino acid analysis, 253
Amphibian, 535
ANF, 421
Angiotensin, 1
Angiotensin II, 271, 317
Apnoea, 153, 299, 529
Arm strength, 333
Arterial vasoconstriction, 155
Atrial, 391
Atrial natriuretic factor, 61
Atrial natriuretic peptide, 247
Atrial preparations, 277
Atrial wall tension, 263
Autoradiography, 467
Autoreceptors, 285
Axonal transport, 437

Baroreceptor, 479
Behavioural test, 291
Bicarbonate, 75
Bioassay, 253
Bladder, 457, 463
Blood flow, 89, 305, 573
Bradycardia, 299
Brain, 61, 563
Bronchial, 573
Bronchial circulation, 571
Burst firing, 567

Ca^{2+}-channels, 119
Calcitonin gene-related peptide, 89
Calcium, 9, 443, 457
Calcium entry blockers, 35
Capillary, 375
Capillary haematocrit, 503
Capsaicin, 571
Carbachol, 75
Cardiac output, 493
Cardiovascular reflexes, 101
Cat, 529
Catecholamine(s), 143, 563
β-cell, 557
Central haemodynamics, 493
Cerebral blood flow, 133
CGRP, 569, 579
Cheek pouch, 579
Chlorisondamine, 53
p-Chlorophenylalanine, 413
Cholinergic neurons, 569
Clonidine, 53, 577
Coexistence, 563
Colonic motility, 549
Colloids, 443
Compartmental analysis, 133
Concentrating mechanism (the), 223
Contraction speed, 575
Converting-enzyme inhibition, 1
Coronary, 573
Coronary arteries, 429
Corpus luteum, 143
Cortisol, 271
Cystometry, 457

D_1-receptors, 285
D_2-receptors, 285
Denning, 149
Depressor reflexes, 101
Development, 17
5,7-DHT, 291
Diabetes mellitus, 429
DIDS, 543
Digastric reflex, 319
5,7-dihydroxytryptamine, 413
Disulphonic stilbenes, 543
DOPAC, 421
Dopamine, 127, 285, 421, 567

EGF, 383
Elastance, 457, 463
Electrical potential difference, 305
Electrical stimulation, 189
Electromyogram, 217, 341
Endothelin, 311, 573
Endothelium, 155
Enteric nervous system, 549

Equilibrium control, 109
Excitatory amino acids, 567
Excitatory junction current, 577
Exercise, 513
Extensor digitorum longus, 189

Fatigue, 217
Femoral, 573
Fertilization, 565
Fibre type(s), 341, 575
Flap survival, 95
Fluorescent erythrocytes, 9
Force decline, 209
Free fatty acids, 305
Freezing, 299
Frequency, 463
Frog skin, 43
L-fucose, 557
Functional activity, 199
Fundic distension, 75

G-proteins, 119
Gastric, 305
Gastric bicarbonate secretion, 75
Gastric ventricles, 543
Gel filtration, 253
Glomerular filtration, 65
Glomerular filtration rate, 421
Glycolytic enzymes, 155
Glycosis, 175
Goat, 271

Haemodilution, 503
Haemodynamics, 247
Haemorrhage, 133
Haloperidol, 421
Heart rate, 263, 299
Histamine, 571
Histamine release, 443
Histochemistry, 341
H,K-ATPase, 543
5-HT, 291
Human, 75, 109, 341, 391
Human leg, 513
Human skeletal muscle, 159
Hyaluronan, 405
Hyaluronan concentration, 405
Hyaluronan distribution, 405
Hyaluronan molecular weight, 405
Hyaluronan turnover, 405
Hydrodynamic, 457, 463
Hydrogen clearance, 133
Hydronephrosis, 223
5-Hydroxytryptamine, 399
Hyperbaric exposure, 277
Hypertension, 61
Hyperventilation, 299
Hypovolaemia, 101

IGF-I, 199, 383
Immunohistochemistry, 199, 383
Increased venous pressure, 375
In situ hybridization, 563
Insulin secretion, 557
Insulin-like growth factor I, 199
Intestinal transport, 79
Intracellular brain pH, 295
Intracellular buffer capacity, 295
In vitro, 391, 429
Ion concentration shifts, 209
Ionize, 443
Ion-sensitive electrode, 209
Ischaemic flaps, 95
Ischaemic kidney, 35
Islets of Langerhans, 253
Isolated muscles, 209
Isolated rat stomach, 443
Isometric exercise, 23
Isoprenaline, 101
Isoproterenol, 383

Jaw-opening reflex, 327

$^{42}K^{+}$-uptake, 189
Kidney, 9, 17, 53
Kinematics, 109
Knee extension, 181
Kynurenate, 567

Lactate, 175
Laser Doppler flowmetry, 133
Leakage of proteins, 35
Leg strength, 333
Luteinizing hormone, 143

Man, 175
Mannitol, 35
Mean atrial pressure, 263
Mechanical loading, 199
Medulla oblongata, 317
Medullary blood flow, 9
Membrane, 317
Mesenteric arteries, 391
Mesolimbic, 567
Metabolic rate, 149
Mice, 291
Microcirculation, 579
Microinjection, 529
Mini-pigs, 305
Mitochondrial enzymes, 155
Morphine, 479, 493
Morphine abstinence, 479, 493
Motoneuronal development, 561
Motor activity, 285
Motor skill, 333
Motor unit differentiation, 561
Mouse, 383, 413

Mucosal function, 305
Multi-joint co-ordination, 109
Muscle, 333, 341
Muscle contraction, 519
Muscle enzyme activities, 519
Muscle fatigue, 181
Muscle fibre types, 519
Muscle stimulation, 575
Myosin heavy chain isoforms, 575

$^{22}Na^{+}$-efflux, 189
Na,K-ATPase, 543
Naloxone, 327, 479, 493
Natriuresis, 421
Natriuretic peptides, 391
Natural starvation, 149
Nerve impulse, 577
Neuromodulation, 127
Neuromuscular connections, 561
Neuropeptide Y, 53, 155, 577
Neurotransmitters, 79
Neutrophils, 313
NGF, 383
Nicotine, 519
Nociception, 413
Non-adrenergic, non-cholinergic, 549
Non-renal clearance, 65
Noradrenaline, 53, 143, 421
Noradrenaline release, 311
Normal sodium diet, 1
N. paragigantocellularis, 529
N. tractus solitarii, 529

Oocytes, 565
Ouabain, 189
Ovary, 143
Ovulation, 143
Oxidative metabolism, 175
Oxygen consumption, 149

[^{31}P] nuclear magnetic resonance spectroscopy, 295
Parathyroid hormone, 17
Parotid, 383
PCPA, 291
Pelvic urine back-leak, 223
Peptides, 565
Percutaneous transluminal angioplasty, 473
Peridontal receptors, 319
permeability, 313
Pharmacokinetics, 65
Phosphate transport, 17
Phosphocreatine, 175
Photoreception, 535
Plasma renin activity, 473
Positive end-expiratory pressure (PEEP), 101
Positive pressure ventilation, 101
Postsynaptic receptors, 285
Potassium concentration, 181
Prejunctional, 577
Pre-ovulatory follicle, 143
Presynaptic receptors, 119
Propranolol, 189
Prostaglandin, 75
Prostaglandin E_2, 43
Prostaglandin release, 235
Proton transport inhibitors, 543
Pulmonary artery, 391

Rabbits, 391
Radioactive microspheres, 305
Radio-immunoassay, 253
Rat, 17, 61, 133, 199, 277, 317, 375, 383, 405, 421, 457, 463, 479, 493
α-Rat atrial natriuretic peptide, 467
Rat diaphragm, 217
Rat experiments, 223
Rat insulinoma cells, 253
$^{86}Rb^{+}$-uptake, 189
Receptors, 61
Recurrent inhibition, 347, 363
Red blood cell flux, 503
Red cell flux, 9
Regularity, 127, 567
Renal, 573
Renal artery stenosis, 473
Renal autoregulation, 235
Renal blood flow, 23
Renal clearance, 65
Renal dopamine, 23
Renal noradrenaline, 23
Renal release, 23
Renin release, 235
Renshaw cells, 347
Reserpine, 53
Respiration, 153, 161
Respiration regulation, 295
Respiratory cycle regulation, 161
Respiratory timing, 161
Reversed-phase HPLC, 253

Saralasin, 1, 271
Sciatic nerve, 437
Sensory nerves, 571
Sham feeding, 75
SHR, 247
Single-cell recording, 127
Skeletal muscle, 217, 373, 503
Skin, 375, 405
Slow and fast motor units, 347, 363
Smooth muscle, 311, 549
Sodium transport, 43
Soleus, 189
Somatomedin C, 199, 383
Smooth muscle, 549
Somatostatin, 529
Speed of isometric contraction, 519

Sperms, 565
Spinal cord, 347, 363
Square-pulse analysis, 79
Stepwise, 457
Subcutaneous blood flow, 513
Subepithelial resistance, 79
Submandibular gland, 383
Substance P, 153
Substantia nigra, 127
Subtetanic contraction, 217
Superoxide dismutase, 65
Sweat glands, 569
Sympathetic ganglia, 569
Sympathetic nerve activity, 53, 101, 479
Sympathetic stimulation, 319
Systolic atrial pressure, 263
Substance P, 569

Tachycardia, 299
Tail-flick test, 413
Tail skin temperature, 413
Temperature effects, 535
Terbutaline, 209
Tetrodotoxin, 549
Thermodilution, 23
Tooth pulp, 327
Transcutaneous electrical nerve stimulation (TENS), 89, 95
Trifluoperazine, 43
Trunk, 109
Tubular leakage, 313
Two-pore model, 375

Ulcer pathogenesis, 305
Ulex Europeus I, 557
Ureteral pressure, 235
Ursus americanus, 149
Ussing technique, 79

Vagotomy, 101
Vanadate, 437
Vasa recta, 9
Vasoconstriction, 311
Vasodilatation, 23
Vasomotor reactivity, 429
Venous pressure, 513
Ventral tegmental area, 127, 567
Verapamil, 9
VIP, 569
Viscoelasticity, 457, 463
Vision, 535
Volume expansion, 421
Voluntary movements, 109

Xanthine oxidase, 159
Xanthine oxidase inhibition, 35
^{133}Xenon, 513